

8.23 Переходной ниппель

Информация о продукции

Характеристики


- BSP внутренняя резьба
- INOX усилительное кольцо

Материал

- НПВХ (PVC-U) = непластифицированный поливинилхлорид

Прокладки

- ЭПДМ



Позиции в наличии

ART.CODE	d1	d2	B	C	D	S	O-ring	Type	Verp
8.23.012	5/8 (M)	1/4" (F)	12	31	10	23	12.37 x2.62	A	50
8.23.016	3/4 (M)	3/8" (F)	12	33	11	25	15.55 x2.62	A	50
8.23.017	3/4 (M)	3/8" (F)	12	33	11	25	15.55 x2.62	B	50
8.23.020	1 (M)	1/2" (F)	16	37	12	30	20.22 x3.53	A	50
8.23.021	1 (M)	1/2" (F)	16	37	12	30	20.22 x3.53	B	50

Van de Lande BV

Lissenveld 1 \ 4941 VK Raamsdonksveer \ The Netherlands \ t +31 (0)162 51 60 00 \ f +31 (0)162 52 14 17 \ sales@vandelande.com
 Traderegister Tilburg: 18070844 \ IBAN: NL13 RABO 0143 0035 26 \ BIC: RABONL2U \ VAT: NL 8123.91.755.B01

ART.CODE	d1	d2	B	C	D	S	O-ring	Type	Verp
8.23.025	1 1/4 (M)	3/4" (F)	17	38	12	36	28.17 x3.53	A	50
8.23.026	1 1/4 (M)	3/4" (F)	17	38	12	36	28.17 x3.53	B	50
8.23.032	1 1/2 (M)	1" (F)	21	42	14	44	32.92 x3.53	A	50
8.23.033	1 1/2 (M)	1" (F)	21	42	14	44	32.92 x3.53	B	50
8.23.040	2 (M)	1 1/4" (F)	23	45	16	54	40.64 x5.33	A	25
8.23.041	2 (M)	1 1/4" (F)	23	45	16	54	40.64 x5.33	B	25
8.23.050	2 1/4 (M)	1 1/2" (F)	23	50	18	64	46.99 x5.33	A	25
8.23.051	2 1/4 (M)	1 1/2" (F)	23	50	18	64	46.99 x5.33	B	25
8.23.063	2 3/4 (M)	2" (F)	27	54	20	80	59.69 x5.33	A	25
8.23.064	2 3/4 (M)	2" (F)	27	54	20	80	59.69 x5.33	B	25
8.23.075	ZGT D	2 1/2" (F)	31	66	30	94	78.74 x5.33	B	10
8.23.090	ZGT D	3" (F)	34	77	35	114	97.79 x5.33	B	5
8.23.110	ZGT D	4" (F)	41	88	40	138	117.5 x5.33	B	5

Van de Lande BV

Lissenveld 1 \ 4941 VK Raamsdonksveer \ The Netherlands \ t +31 (0)162 51 60 00 \ f +31 (0)162 52 14 17 \ sales@vandelande.com
 Traderegister Tilburg: 18070844 \ IBAN: NL13 RABO 0143 0035 26 \ BIC: RABONL2U \ VAT: NL 8123.91.755.B01

www.vandelande.com

All our transactions are subject to the Van de Lande General Terms of Sale. A copy of these can be provided immediately upon your request.